

# 75 Inches LED Monitor

MW3275-F



## Features


- LED backlight technology with ultra HD 3840 × 2160
- High fidelity digital processing, brilliant and vivid video
- Wide view of field: 178° (H)/ 178° (V)
- User-friendly operation menu, which is simple to operate
- Lower power consumption and long life cycle
- VESA stand bracket
- Support abundant interfaces
- The screen features a symmetrical four-edge bezel design, combining sleek aesthetics with practical functionality.

## Specifications


Model	MW3275-F
Panel	
Backlight	DLED
Panel Size	75"
Resolution	3840 × 2160
Brightness (cd/m <sup>2</sup> )	350
Color Support	1.07 B
Contrast Ratio	1200:1
Response Time (ms)	≤8
Viewing Angle (H/V)	178° /178°
Display Size (mm)	1650.24 × 928.26
Pixel Pitch (H × V) (mm)	0.43 × 0.43

Refresh Rate	60Hz
Operation Hour	24/7
Bezel Width	27.2mm (top/left/right/bottom)
<b>Interface</b>	
Video Input	1 × VGA, 2 × HDMI, 1 ×DVI, 1 ×DP (VGA\DVI support a maximum input resolution of 1920 × 1080@60 Hz, HDMI\DP support a masimum input resolution of 3840 × 2160@60 Hz)
Audio Input	1 × AUDIO IN
Audio Output	1 × AUDIO OUT
Other Interfaces	1 × USB, 1 × RS232 IN, 1 × RS232 OUT
<b>Speaker</b>	
Speaker	2 × 10 W
<b>VESA</b>	
VESA (mm)	600 × 400
Wall-mounted Thread	4-M8 screw hole, 25 mm Deep Thread
<b>OSD</b>	
Multi-Language	English, Simplified Chinese
<b>General</b>	
Material	Metal housing
Input Voltage	AC 100 ~ 240 V, 50/60 Hz
Typical Power Consumption (W)	<200
Standby Power Consumption (W)	<0.5 (Standby)
Product Dimensions (W × H × D) (mm)	1706.5 × 984.67 × 75.4
Package Dimensions (W × H × D) (mm)	1835 × 1140 × 200
Weight (kg)	Net Weight: 47.8 Gross Weight: 54
Operating Temperature	0°C ~ 40°C
Operating Humidity	10% ~ 90% (No Condensation)
Storage Temperature	-10°C ~ 60°C
Storage Humidity	10% ~ 90% (No Condensation)
Lifetime (h)	30000
MTBF (h)	50000
Standard	1 × HDMI Cable, 1 × Power Cable, 1 × Remote Control, 1 × Quick Guide, 1 × Wall mount





## Interface



## Ordering Info

Product Model	Description
MW3275-F	75 Inches LED Monitor

### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.